

www.jingyinglight.com




Lynn-JY lighting

GUANDONG JINGYING LIGHTING CO.,LTD
广东精颖灯饰有限公司

地址: 广东省江门市江海区东睦路31号
Factory ADD: No.31 Dongmu road high and new industrial zone
JiangMen City GuangDong P.R. China.

TEL: +86-760-89833225



OUTDOORS

PRODUCT CULTURE



ABOUTUS

精颖品牌简介

精颖品牌创立于2009年，是一家专注LED现代灯产业的供应商和知名品牌商，业务遍布全球130个国家及城市。

凭借着创始人和团队深厚的商业照明底蕴，精颖自创立之初就提出了光学艺术化的理念，将光学设计和灯饰设计融合一体化，将商照的功能性专业性与灯饰的设计感和艺术美感相结合。

精颖总部坐落于广东省江门国家高新技术工业区，拥有30000多平方米国际高标准的生产制造基地、五级质量管理体系、科学系统的营销管理模式，并在丹麦，意大利建立了跨国研发设计室，汇集数百名行业资深的的灯饰产品研发专家和生产工艺管理精英，公司荣获50余项产品专利，通过ISO9001:2000国际质量体系、欧盟CE、ROHS、中国国家CCC强制证等国内外权威认证。并且建立了完整的产品线，匠心打造七大系列近千款产品，涵盖吊线灯、吸顶、墙壁、镜前灯、台灯、落地灯个墙角灯、庭院灯、商业照明等全系列精品灯饰，致力于光学艺术照明在家居、酒店及商业领域的广泛应用。

2018年，精颖提出了“光临未来”品牌战略，视野更加国际化，积极与国外研究机构合作，进一步深度挖掘光学在灯饰中的表现形式，同时在设计理念上更加的前卫与创新，积极运用新的材料新的设计新的工艺观光的艺术，引领探索光与艺术更辽阔的未来。

Jingying, established in 2009, is a supplier and notable dealer in the LED modern lighting industry whose business scope covers 130 countries and cities globally. By virtue of the profound commercial accomplishments of both the founder and the team, Jingying has offered the idea of optical art since inception, integrated light source designs and lighting designs, and combined the functions of lighting with art.

Jingying's headquarters is located in Jiangmen's National Hi-Tech Zone in Guangdong. With a production base larger than 30,000 square meters that meets international standards, it is also favored with a quality management system with five levels and a scientific, systematic marketing management mode. Jingying has set up R&D offices in Denmark and Italy, gathered hundreds of lighting R&D experts, and has been certified by ISO9001:2000 international quality system, CE, ROHS, CCC and other domestic and international authorities. Equipped with a complete production line, the company has developed about 1,000 products that fit into seven major categories: chandeliers, ceiling lamps, wall lamps, mirror lamps, desk lamps, floor and corner lamps, and bollards light.

Commercial lighting. The company has been broadly applying its concepts of artistic lighting in households, hotels, and commercial areas. In 2018, Jingying developed the brand strategy Light of the Future, which broadened our international vision and led us to seek for cooperation with international research institutes.

all the while further exploring modes of expression in optical lighting design. Jingying also

continued to pursue innovating and applying new materials, new designs, and new techniques

in optical art, pioneering a greater future of lighting and art.



Encounter the Beauty of Craftsmanship

卢梭曾说，在人类所有的职业中，工艺是一门最古老最正直的手艺。工艺在人的成长中功用最大，在物品的制造中通过手将触觉、视觉和脑力相协调，身心合一，使人得到健康成长。

Rousseau once said that in all human professions,craftsman is the oldest and most upright.Technology plays the most important role in the growth of human beings.In the manufacture of goods,touch,vision and brains are coordinated by hand,and the body and mind are integrated,so that people can

而在这超时间、跨领域、跨时代的技艺里，有着世代手艺人的坚守与专注，他们拾起身体和工具的技艺，触摸那些有真实代入感的生活。

grow healthily.In this time-consuming,cross-domain and cross-generational skill,there are generations of craftsmen who stick to and concentrate on picking up the memory of their bodies and tools and touching the real life.

From Modern Design To craftsmanship

从现代设计到手工工艺

在精颖的工艺中既有现代化的生产工艺，也有纯粹的手工艺，从灵感的灵光一现到作品的最终呈现，精颖的每一件作品要经理生产，检测合计七十三道工序，每一道工序都是一件精颖艺术品不可或缺的主角。

In the exquisite craftsmanship,there are both modern production techniques and pure handicrafts. From the inspiration to the final presentation of the works,each pieces works of Jingying lighting through 73 processes of production and tests . Every process is indispensable.



Wonderful

精彩工艺 精彩纷呈

在精颖的工艺中既有现代化的生产工艺，也有纯粹的手工艺，从灵感的灵光一现到作品的最终呈现，精颖的每一件作品要经理生产，检测合计七十三道工序，每一道工序都是一件精颖艺术品不可或缺的主角。

In the exquisite craftsmanship,there are both modern production techniques and pure handicrafts. From the inspiration to the final presentation of the works,each pieces works of Jingying lighting through 73 processes of production and tests . Every process is indispensable.








| outdoor wall lamp | IP54 | 3000K | Epistar LED |

GR0850A-300A
3W

Φ120*H300mm



GR0850A-700A
3W

Φ120*H700mm



● black ○ white ● Dark grey



GR0860

Description: Garden light lamp

Material: Aluminium+Acrylic


Watts: 60W

Led Input: AC 90-260V IP54

Colour: black

Product Size(mm): L200*W200*H335

CCT:3000K



P0860

Description: Garden light lamp

Material: Aluminium+Acrylic

Watts: 60W

Led Input: AC 90-260V IP54

Colour: black

Product Size(mm): L200*W200*H1000

CCT:3000K

LWA0860

Description: Garden light lamp

Material: Aluminium+Acrylic

Watts: 60W

Led Input: AC 90-260V IP54

Colour: black

Product Size(mm): L200*W200*H335


CCT:3000K







T0860

Description: Garden light lamp
Material: Aluminium+Acrylic
Watts: 60W
Led Input: AC 90-260V IP54
Colour: black
Product Size(mm): L200*W200*H335
CCT: 3000K








| outdoor wall lamp | IP54 | 3000K | Epistar LED |


LWA0850A
5W*2

L100*W100*H90




LWA0850A-1A
3W

L100*W100*H90



● black ○ white ● Dark grey








| outdoor wall lamp | IP54 | 3000K | Epistar LED |


LWA0849-250A
20W

L250*W160*H85




LWA0849-395A
30W

L395*W160*H85



LWA0849-550A
45W

L550*W160*H85




● black ○ white ● Dark grey



Horizon | outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

LWA0710A 200*200*H200mm
5W

LWA0710A(E27) 200*200*H200mm
5W




● black ○ white ● Dark grey





Horizon | outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

LWA0712A 185*116*H95mm
5W



● black ○ white ● Dark grey





Horizon | outdoor wall light | IP65 | 3000K | Epistar LED |

LWA0708A-(GU10) 130*100*H140mm
5W



LWA0708B-(GU10) 100*90*H130mm
5W



● black ○ white ● Dark grey





Horizon | outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

LWA0708A 130*100*H140mm
5W



LWA0708B 100*90*H130mm
5W



● black ○ white ● Dark grey





Horizon | outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

LWA0709A 180*140*H100mm
5W



● black ○ white ● Dark grey





Horizon | outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

LWA0711A 155*106*H106mm
2W+4W




● black ○ white ● Dark grey






| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

LWA0713A 200*200*H90mm
5W




● black ○ white ● Dark grey







| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

LWA0833A 140*140*H90mm
5W






● black ○ white ● Dark grey





| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

LWA0834A 106*106*H90mm
5W




● black ○ white ● Dark grey






| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

LWA0835A 210*116*H95mm
6W




● black ○ white ● Dark grey





Horizon | outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

LWA0047-1S L80*W68*H80mm
6W



● black ○ white ● Dark grey



Horizon | outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

LWA0047-1D L80*W68*H80mm
6W




● black ○ white ● Dark grey





Horizon | outdoor wall light | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

LWA0685-2A L118*W105*H90mm
12W



● black ○ white ● Dark grey





Horizon | Ceiling Lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

LWA0047-2D L80*W68*H160
12W



● black ○ white ● Dark grey





Horizon | Ceiling Lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

LWA0047-2S L80*W68*H160
12W




● black ○ white ● Dark grey



Horizon | Ceiling Lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED |

LWA0150-2S L115*W100*H100mm
12W





● black ○ white ● Dark grey








| outdoor wall lamp | IP54 | 3000K | E27 lamp holder |

LWA0846-350A 140*140*350
8W



LWA0846-500A 140*140*500
2*8W





● black ○ white ● Dark grey







| outdoor garden Lamp | IP54 | 3000K | E27 lamp holder |

GR0846-350A 140*140*350
8W



GR0846-500A 140*140*500
8W











| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

LWA0846-350B 140*165*350
8W



LWA0846-500B 140*165*500
15W




● black ○ white ● Dark grey





| outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

LWA0846-350C 140*140*350
8W




● black ○ white ● Dark grey






| outdoor garden lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K | Epistar LED |

GR0846-350C 140*140*350
8W



GR0846-500C 140*140*500
8W



● black ○ white ● Dark grey





JINGYING




LWA0137A

Description: Wall lamp
Material: pure Aluminium
Watts: 6w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black/ white
Product Size(mm):135*135*35
CCT:3000k



LWA0137B

Description: Wall lamp
Material: pure Aluminium
Watts: 12w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black/ white
Product Size(mm):180*180*40
CCT: 3000k



JINGYING



LWA0119B

Description: wall lamp

Material: pure Aluminium

Watts: 7w


Led Input: AC 90-260V AC 50/60HZ IP65

Colour: black/ white

Product Size(mm): W178X156HX46E

CCT:3000k





JINGYING



LWA919

Description: Wall lamp
Material: pure Aluminium
Watts: 10w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white
Product Size(mm): 90*200*90
CCT:3000k





JINGYING



LWA0047A

Description: Wall lamp
Material: pure Aluminium
Watts: 20w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black / white
Product Size(mm): Φ105*175*115
CCT: 3000k



◀
LWA0048A

Description: Wall lamp
Material: pure Aluminium
Watts: 10w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black / white
Product Size(mm): L60*W60*H160
CCT:3000k



◀
LWA0048B

Description: Wall lamp
Material: pure Aluminium
Watts: 5w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black / white
Product Size(mm): L60*W60*H160
CCT:3000k



LWA0048C ▲

Description: Wall lamp
Material: pure Aluminium
Watts: 5w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: black / white
Product Size(mm): L60*W60*H160
CCT:3000k

JINGYING



JINGYING


LWA0150B

Description: Wall lamp
Material: pure Aluminium
Watts: 2*9w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black / Dark grey
Product Size(mm): 100*170*115
CCT:3000k

LWA0150A

Description: Wall lamp
Material: pure Aluminium
Watts: 9w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black / Dark grey
Product Size(mm): 90*90*105
CCT:3000k





JINGYING



LWA803

Description: Wall lamp
Material: pure Aluminium
Watts: 6w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white/black
Product Size(mm): 100*100*100
CCT: 3000k



LWA803L

Description: Wall lamp
Material: pure Aluminium
Watts: 12w
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white/black
Product Size(mm): L150*E150*H150
CCT: 3000k

JINGYING



LWA0166A

Description: Wall lamp

Material: pure Aluminium

Watts: 14w

Led Input: AC 90-260V AC 50/60HZ IP65

Colour: white/black

Product Size(mm): 150*150*40

CCT:3000k

JINGYING



LWA0053A

Description: Wall lamp
Material: pure Aluminium
Watts: 12W
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black
Product Size(mm): 150*129*78.5
CCT:3000k



JINGYING



LWA0176S

Description: Wall lamp
Material: pure Aluminium
Watts: 2*5W
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black
Product Size(mm): 70*160
CCT:3000k

LWA0176L

Description: Wall lamp
Material: pure Aluminium
Watts: 2*5W
Led Input: AC 90-260V AC 50/60HZ IP65
Colour: white /black
Product Size(mm): 80*200
CCT:3000k



JINGYING



LWA0054A

Description: Wall lamp

Material: pure Aluminium

Watts: 14W


Led Input: AC 90-260V AC 50/60HZ IP65

Colour: black

Product Size(mm): 150*150*160

CCT:3000k

JINGYING



GR0054-600A

Description: Wall lamp

Material: pure Aluminium

Watts: 14W

Led Input: AC 90-260V AC 50/60HZ IP65

Colour: black

Product Size(mm): 150*150*600

CCT:3000k

GR0054-900A

Description: Wall lamp

Material: pure Aluminium

Watts: 14W

Led Input: AC 90-260V AC 50/60HZ IP65

Colour: black

Product Size(mm): 150*150*900

CCT:3000k

JINGYING



Attendant

The integration of the most classic modeling design and the most cutting-edge optical concept makes our outdoor lighting products the same existence as the attendants:
Absolutely loyal service and reliable quality.

侍从系列

最经典的造型设计与最前沿的光学理念融合, 让我们的户外照明产品成为侍从一样的存在:
绝对的忠诚服务和可以信赖的品质。





Reflection | Garden lamp | AC 90-260VAC 50/60HZ | IP55 | 3000K | OSRAM LED | Pure Aluminium

GR0215-350A
12W



GR0215-600A
12W



GR0215-900A
12W



● Black ○ White




Building Blocks

The adjustable angle and the adjustable module can make the human body as happy and inspired as the building blocks in the process of using the light. The excellent wood grain treatment on the surface also makes the expression form of light more delicate.

积木系列

可调节角度和可增减模块，能让体会光的运用过程中如同到积木搭建一样快乐和灵感，表面优秀的木纹处理，也让光的表现形式更加的细腻。






JINGYING

Reflection | Garden light lamp | AC 90-260VAC 50/60HZ | IP55 | 3000K | OSRAM LED | Pure Aluminium

GR0224-1B
6W




GR0224-1A
6W



GR0224-2A
12W



● + ● Black + Wood grain




Smart

Rotatable lamp body design combined with adjustable angle lighting design makes the product professional and easy in key lighting and scattered lighting.

灵动系列

可旋转的灯体设计结合可以调节角度的光照设计, 让产品在重点照明和分散布光中都显得专业和游刃有余。






JINGYING

JINGYING



Reflection | Garden light lamp | AC 90-260VAC 50/60HZ | IP55 | 3000K | OSRAM LED |
Pure Aluminium

GR0225-1A
2W



GR0225-2A
6W




GR0225-3A
9W



● Black ○ White



JINGYING



LWA0039A

Description: Wall Lamp
Material: Pure Aluminium
Watts: 9w
Led Input: Ac 90-260vac 50/60hz Ip54
Colour: White
Product Size(mm): 210*210h*75mm

JINGYING




LWA0176S

Description: Wall Lamp
Material: Pure Aluminium
Watts: 2*5w
Led Input: Ac 90-260vac 50/60hz Ip54
Colour: White Black
Product Size(mm): 70*160

LWA0176L

Description: Wall Lamp
Material: Pure Aluminium
Watts: 2*5w
Led Input: Ac 90-260vac 50/60hz Ip54
Colour: White Black
Product Size(mm): 80*200


JINGYING



LWA0040A


Description: Wall Lamp
Material: Pure Aluminium
Watts: 9w
Led Input: Ac 90-260vac 50/60hz Ip54
Colour: White
Product Size(mm): 180*270h*60mm



JINGYING



LWA0029A

Description: Wall Lamp
Material: Pure Aluminium
Watts: 9w
Led Input: Ac 90-260vac 50/60hz Ip54
Colour: White
Product Size(mm): 225mm*150mm






LWA0179A

Description:: Wall lamp
Material: pure
Aluminium watts: 3*3w
LED Input: AC 90-260VAC 50/60HZ IP54
Colour: white
Colour temperature: 3200K
Product size(mm): L106*W170*H120




LWA0179C

Description:: Wall lamp
Material: pure
Aluminium watts: 3*3w
LED Input: AC 90-260VAC 50/60HZ IP54
Colour: white
Colour temperature: 3200K
Product size(mm): L106*W170*H120



CORNER LAMP

A smart lighting design
brand at the forefront of fashion



CORNER LAMP | INPUT: AC 100-260V | IP66 | CCT 3000K

DL0395-S

120*120*35mm
3W



DL0395-L

200*200*35mm
5W




Sand black



Sand white



Sand grey



CORNER LAMP

A smart lighting design
brand at the forefront of fashion





CORNER LAMP | INPUT: AC 100-260V | IP66 | CCT 3000K

DL0396-S

60*105*55mm
3W
trompil: 45*90mm



DL0396-M

70*150*55mm
3W
trompil: 65*130mm



DL0396-L


65*210*55mm
3W
trompil: 55*200mm




Sand black


Sand white


Sand grey



CORNER LAMP | INPUT: AC 100-260V | IP66 | CCT 3000K

DL0397-S

Ø70*50mm
3W
trompil: Ø50mm



●
Sand black

DL0397-M

Ø90*50mm
3W
trompil: Ø70mm



●
Sand white

DL0397-L

Ø130*60mm
5W
trompil: Ø100mm




●
Sand grey




CORNER LAMP

A smart lighting design
brand at the forefront of fashion



CORNER LAMP

A smart lighting design
brand at the forefront of fashion



CORNER LAMP | INPUT: AC 100-260V | IP66 | CCT 3000K

DL0399-S

85*85*30mm
3W
trompil:80*80mm



DL0399-M

110*110*60mm
5W
trompil:103*103mm



DL0399-L

100*165*60mm
5W
trompil:90*145mm



DL0399-D


165*165*65mm
5W
trompil:140*140mm




Sand black


Sand white



Sand grey



CORNER LAMP

A smart lighting design
brand at the forefront of fashion





CORNER LAMP | INPUT: AC 100-260V | IP66 | CCT 3000K

DL0398-S

170*70*55mm
5W
trompil:160*65mm



●
Sand black

DL0398-M

255*80*55mm
5W
trompil:245*45mm



●
Sand white

DL0398-L

250*90*60mm
5W
trompil:240*80mm



●
Sand grey






CORNER LAMP


A smart lighting design
brand at the forefront of fashion



Multiple panels available







CORNER LAMP | INPUT: AC 100-260V | Ip65 | CCT 3000K

DL0386A

90*90*38mm

3W

trompil:52*72mm

DL0386B

90*90*38mm

3W

trompil:52*72mm

DL0386C

90*90*38mm

3W

trompil:52*72mm

DL0386D

90*90*38mm

3W

trompil:52*72mm



Black

White

Grey

S-Golden

